

Author index

Abath, F.G.C., see Ali, P.O., 215

Ahanotu, E., see Ahanotu, P.A., 131

Ahanotu, P.A., Ahanotu, E., Srinivasan, N.G. and Harris, B.G., Trypsin modification of phosphofructokinase from *Ascaris suum*, 131

Albrecht, S. and Walter, R.D., Hallucinogenic and neuroleptic drug interactions with potential neurotransmitter receptors in parasitic nematodes, 289

Ali, P.O., Jeffs, S.A., Meadows, H.M., Hollyer, T., Owen, C.A., Abath, F.G.C., Allen, R., Hackett, F., Smithers, S.R. and Simpson, A.J.G., Structure of Sm25, an antigenic integral membrane glycoprotein of adult *Schistosoma mansoni*, 215

Allen, R., see Ali, P.O., 215

Amako, K., see Johnston, R.C., 155

Anders, R.F., see Marshall, V.M., 349

Ariztia-Carmona, E.V., see Gajadhar, A.A., 147

Åslund, L., Henriksson, J., Campetella, A., Frasch, A.C.C., Pettersson, U. and Cazzulo, J.J., The C-terminal extension of the major cysteine proteinase (cruzipain) from *Trypanosoma cruzi* (Short communication), 345

Banerji, S., see Sinclair, K., 183

Barr, P.J., Inselburg, J., Green, K.M., Kansopon, J., Hahm, B.K., Gibson, H.L., Lee-Ng, C.T., Bzik, D.J., Li, W. and Bathurst, I.C., Immunogenicity of recombinant *Plasmodium falciparum* SERA proteins in rodents, 159

Basic, A., see Glaser, T.A., 337

Bathurst, I.C., see Barr, P.J., 159

Bennett, J.L., see Eshete, F., 1

Bienen, E.J., Saric, M., Pollakis, G., Grady, R.W. and Clarkson, Jr., A.B., Mitochondrial development in *Trypanosoma brucei brucei* transitional bloodstream forms, 185

Blumenfeld, N., see Zilberstein, D., 175

Bogh, H.O., see Cougle, W.G., 137

Brindley, P.J., see Klion, A.D., 297

Brotman, B., see Lustigman, S., 65

Brun, R., see Durieux, P.O., 19

Bzik, D.J., see Barr, P.J., 159

Campetella, A., see Åslund, L., 345

Capron, A., see Facon, B., 233

Caulagi, V.R., Werner, C. and Rajan, T.V., Isolation and partial sequence of a collagen gene from the human filarial parasite *Brugia malayi*, 57

Cazzulo, J.J., see Åslund, L., 345

Chamekh, M., see Facon, B., 233

Clarkson, Jr., A.B., see Bienen, E.J., 185

Clayton, C., see Fung, K., 261

Coombs, G.H., see Meade, J.C., 349

Coppel, R.L., see Marshall, V.M., 349

Cougle, W.G., Lightowers, M.W., Bogh, H.O., Rickard, M.D. and Johnson, K.S., Molecular cloning of *Taenia taeniaeformis* oncosphere antigen genes, 137

Courtney, C.H., see Dame, J.B., 275

Dame, J.B., Yowell, C.A., Courtney, C.H. and Lindgren, W.G., Cloning and characterization of the ribosomal RNA gene repeat from *Ostertagia ostertagi*, 275

Deans, J., see Parsons, M., 241

De Vries, E., Stam, J.G., Franssen, F.F.J., van der Vliet, P.C. and Overdulve, J.P., Purification and characterization of DNA polymerases from *Plasmodium berghei*, 223

Dewes, H., see Johnston, R.C., 155

Dissanayake, S., Min, X. and Piessens, W.F., Detection of amplified *Wuchereria bancrofti* DNA in mosquitoes with a nonradioactive probe, 49

Dissous, C., see Facon, B., 233

Dopheide, T.A.A., Tachedjian, M., Phillips, C., Frenkel, M.J., Wagland, B.M. and C.W. Ward, C.W., Molecular characterisation of a protective, 11-kDa excretory-secretory protein from the parasitic stages of *Trichostrongylus colubriformis*, 101

Dubremetz, J.F., see Leriche, M.A., 249

Duran, E., see Wheelock, M.J., 9

Durieux, P.O., Schütz, P., Brun, R. and Köhler, R., Alterations in Krebs cycle enzyme activities and carbohydrate catabolism in two strains of *Trypanosoma brucei* during in vitro differentiation of their bloodstream to procyclic stages, 19

Edwards, M.R., see Schofield, P.J., 39

Eshete, F. and Bennett, J.L., The schistosomicidal compound Ro 15-5458 causes a reduction in the RNA content of *Schistosoma mansoni*, 1

Facon, B., Chamekh, M., Dissous, C. and Capron, A., Molecular cloning of an *Echinococcus granulosus* protein expressing an immunogenic epitope of antigen 5, 233

Farias, N.A.R., see Johnston, R.C., 155

Franssen, F.F.J., see de Vries, E., 223

Frasch, A.C.C., see Åslund, L., 345

Frenkel, M.J., see Dopheide, T.A.A., 101

Fung, K. and Clayton, C., Recognition of a peroxisomal tripeptide entry signal by the glycosomes of *Trypanosoma brucei*, 261

Gajadhar, A.A., Marquardt, W.C., Hall, R., Gunderson, J., Ariztia-Carmona, E.V. and Sogin, M.L., Ribosomal RNA sequences of *Sarcocystis muris*, *Theileria annulata* and *Cryptocodinium cohnii* reveal evolutionary relationships among apicomplexans, dinoflagellates, and ciliates, 147

Garside, L., see Gibson, W., 77

Gañán, S., see Gotz, G., 265

Gepstein, A., see Zilberstein, D., 175

Gibson, H.L., see Barr, P.J., 159

Gibson, W. and Garside, L., Genetic exchange in *Trypanosoma brucei brucei*: variable chromosomal location of housekeeping genes in different trypanosome stocks, 77

Glaser, T.A., Moody, S.F., Handman, E., Basic, A. and Spithill, T.W.,

An antigenically distinct lipophosphoglycan on amastigotes of *Leishmania major*, 337

Goman, M., Mons, B. and Scaife, J., The complete sequence of a *Plasmodium malariae* SSUrRNA gene and its comparison to other plasmodial SSUrRNA genes, 281

Gonzales, J.C., see Johnston, R.C., 155

Gotz, G., Gañán, S. and Parodi, A.J., Glucosylation of glycoproteins in *Crithidia fasciculata*, 265

Grady, R.W., see Bienen, E.J., 185

Green, K.M., see Barr, P.J., 159

Gunderson, J., see Gajadhar, A.A., 147

Hackett, F., see Ali, P.O., 215

Hahm, B.K., see Barr, P.J., 159

Hall, R., see Gajadhar, A.A., 147

Hall, S.J., Sims, P.F.G. and Hyde, J.E., Functional expression of the dihydrofolate reductase and thymidylate synthetase activities of the human malaria parasite *Plasmodium falciparum* in *Escherichia coli*, 317

Handman, E., see Glaser, T.A., 337

Harris, B.G., see Ahanotu, P.A., 131

Henriksson, J., see Åslund, L., 345

Hollyer, T., see Ali, P.O., 215

Hopkin, J.M., see Sinclair, K., 183

Huima, T., see Lustigman, S., 65

Hyde, J.E., see Hall, S.J., 317

Inselburg, J., see Barr, P.J., 159

Jaffe, C.L., see Zilberstein, D., 175

Jeffs, S.A., see Ali, P.O., 215

Johnson, K.R., see Wheelock, M.J., 9

Johnson, K.S., see Cougle, W.G., 137

Johnston, R.C., Farias, N.A.R., Gonzales, J.C., Dewes, H., Masuda, A., Termignoni, C., Amako, K. and Ozaki, L.S., A putative RNA virus in *Babesia bovis*, 155

Kansopon, J., see Barr, P.J., 159

Kemp, D.J., see Marshall, V.M., 349

Klion, A.D., Raghavan, N., Brindley, P.J. and Nutman, T.B., Cloning and characterization of a species-specific repetitive DNA sequence from *Loa loa*, 297

Kocken, C., see Moelans, I.I.M.D., 193

Komuniecki, R., see Wheelock, M.J., 9

Konings, R.N.H., see Moelans, I.I.M.D., 193

Kranz, P., see Schofield, P.J., 39

Köhler, R., see Durieux, P.O., 19

Ledbetter, J.A., see Parsons, M., 241

Lee-Ng, C.T., see Barr, P.J., 159

Leriche, M.A. and Dubremetz, J.F., Characterization of the protein contents of rhoptries and dense granules of *Toxoplasma gondii* tachyzoites by subcellular fractionation and monoclonal antibodies, 249

Li, W., see Barr, P.J., 159

Lightowers, M.W., see Cougle, W.G., 137

Lindgren, W.G., see Dame, J.B., 275

Liveanu, V., see Zilberstein, D., 175

LoVerde, P.T., see van Keulen, H., 205

Lockyer, M.J., Clonal variation in the *Plasmodium falciparum* circumsporozoite protein gene (Short communication), 179

Lustigman, S., Brotman, B., Huima, T. and Prince, A.M., Characterization of an *Onchocerca volvulus* cDNA clone encod- ding a genus specific antigen present in infective larvae and adult worms, 65

MacKenzie, N.E., see Rainey, P.M., 307

Marquardt, W.C., see Gajadhar, A.A., 147

Marshall, V.M., Coppel, R.L., Martin, R.K., Oduola, A.M.J., Anders, R.F. and Kemp, D.J., A *Plasmodium falciparum* MSA-2 gene apparently generated by intragenic recombination between the two allelic families (Short communication), 349

Martin, R.K., see Marshall, V.M., 349

Masuda, A., see Johnston, R.C., 155

Meade, J.C., Coombs, G.H., Mottram, J.C., Steele, P.E. and Stringer, J.R., Conservation of cation-transporting ATPase genes in *Leishmania*, 29

McGraw, R.A., see Su, X., 331

Meadows, H.M., see Ali, P.O., 215

Meis, J.F.G.M., see Moelans, I.I.M.D., 193

Mertz, P.M., see van Keulen, H., 205

Meza, I., see Torres-Guerrero, H., 121

Mikkelsen, R.B., see Read, L.K., 109

Min, X., see Dissanayake, S., 49

Moelans, I.I.M.D., Meis, J.F.G.M., Kocken, C., Konings, R.N.H. and Schoenmakers, J.G.G., A novel protein antigen of the malaria parasite *Plasmodium falciparum*, located on the surface of gametes and sporozoites, 193

Mons, B., see Goman, M., 281

Moody, S.F., see Glaser, T.A., 337

Mottram, J.C., see Meade, J.C., 29

Nutman, T.B., see Klion, A.D., 297

Oduola, A.M.J., see Marshall, V.M., 349

Opperdoes, F.R., see Ter Kuile, B.H., 171

Overdulve, J.P., see de Vries, E., 223

Owen, C.A., see Ali, P.O., 215

Ozaki, L.S., see Johnston, R.C., 155

Parodi, A.J., see Gotz, G., 265

Parsons, M., Valentine, M., Deans, J., Schieven, G.L. and Ledbetter, J.A., Distinct patterns of tyrosine phosphorylation during the life cycle of *Trypanosoma brucei*, 241

Peattie, D.A., see Torres-Guerrero, H., 121

Pettersson, U., see Åslund, L., 345

Phillips, C., see Dopheide, T.A.A., 101

Piessens, W.F., see Dissanayake, S., 49

Pollakis, G., see Bienen, E.J., 185

Prestwood, A.K., see Su, X., 331

Prince, A.M., see Lustigman, S., 65

Raghavan, N., see Klion, A.D., 297

Rainey, P.M. and MacKenzie, N.E., A carbon-13 nuclear magnetic resonance analysis of the products of glucose metabolism in *Leishmania pifanoi* amastigotes and promastigotes, 307

Rajan, T.V., see Caulagi, V.R., 57

Read, L.K. and Mikkelsen, R.B., *Plasmodium falciparum*-infected erythrocytes contain an adenylate cyclase with properties which differ from those of the host enzyme, 109

Rekosh, D.M., see van Keulen, H., 205

Rickard, M.D., see Cougle, W.G., 137

Sacks, D.L., see Turco, S.J., 91
 Saric, M., see Bienen, E.J., 185
 Scaife, J., see Goman, M., 281
 Schieven, G.L., see Parsons, M., 241
 Schoenmakers, J.G.G., see Moelans, I.I.M.D., 193
 Schofield, P.J., Edwards, M.R. and Kranz, P.,
 Glucose metabolism in *Giardia intestinalis*, 39
 Schütz, P., see Durieux, P.O., 19
 Shi, H., see van Keulen, H., 205
 Simpson, A.J.G., see Ali, P.O., 215
 Sims, P.F.G., see Hall, S.J., 317
 Sinclair, K., Wakefield, A.E., Banerji, S. and Hopkin, J.M.,
 Pneumocystis carinii organisms derived from rat and human hosts
 are genetically distinct (*Short communication*), 183
 Smithers, S.R., see Ali, P.O., 215
 Sogin, M.L., see Gajadhar, A.A., 147
 Spithill, T.W., see Glaser, T.A., 337
 Srinivasan, N.G., see Ahanotu, P.A., 131
 Stam, J.G., see de Vries, E., 223
 Steele, P.E., see Meade, J.C., 29
 Stringer, J.R., see Meade, J.C., 29
 Su, X., Prestwood, A.K. and McGraw, R.A.,
 Cloning and expression of complementary DNA encoding an anti-
 gen of *Trichinella spiralis*, 331
 Tachedjian, M., see Dopheide, T.A.A., 101
 Ter Kuile, B.H. and Opperdoes, F.R.,
 Chemostat cultures of *Leishmania donovani* promastigotes and
 Trypanosoma brucei procyclic trypomastigotes (*Short communica-*
 tion), 171
 Termignoni, C., see Johnston, R.C., 155
 Torres-Guerrero, H., Peattie, D.A. and Meza, I.,
 Chromatin organization in *Entamoeba histolytica*, 121
 Turco, S.J. and Sacks, D.L.,
 Expression of a stage-specific lipophosphoglycan in *Leishmania*
 major amastigotes, 91
 Valentine, M., see Parsons, M., 241
 Van der Vliet, P.C., see de Vries, E., 223
 Van Keulen, H., Mertz, P.M., LoVerde, P.T., Shi, H. and Rekosh,
 D.M.,
 Characterization of a 54-nucleotide gap region in the 28S rRNA
 gene of *Schistosoma mansoni*, 205
 Wagland, B.M., see Dopheide, T.A.A., 101
 Wakefield, A.E., see Sinclair, K., 183
 Walter, R.D., see Albrecht, S., 289
 Ward, C.W., see Dopheide, T.A.A., 101
 Werner, C., see Caulagi, V.R., 57
 Wheelock, M.J., Komuniecki, R., Duran, E. and Johnson, K.R.,
 Characterization of cDNA clones for the beta subunit of pyruvate
 dehydrogenase from *Ascaris suum*, 9
 Yowell, C.A., see Dame, J.B., 275
 Zilberman, D., Blumenfeld, N., Liveanu, V., Gepstein, A. and Jaffe,
 C.L.,
 Growth at acidic pH induces amastigote stage-specific protein in
 Leishmania promastigotes (*Short communication*), 175

Subject index

Aberrant translation initiation, 317
Ascaris suum, 9
 Acetate, 39
cis-Aconitate, 19
 Actin mRNA, 1
 Adenylate cyclase, 109
 Alanine, 39
 Alternative oxidase, 185
 Amastigote, 91, 307, 337
 cAMP, 109
 Antigen, 233, 249, 337
 Aphidicolin, 223
 Apicomplexa, 147
Ascaris suum, 131, 289
Babesia bigemina, 155
Babesia bovis, 155
Brugia malayi, 57
¹³C-NMR, 307
Caenorhabditis elegans, 57
 Carbon balance, 19
 Cation transporting ATPase gene, 29
 Chemiluminescent label, 49
 Chemostat, 171
 Chromatin, 121
 Chromosome, 77
 Circumsporozoite protein gene, 179
 Collagen gene, 57
Cryptocodinium cohnii, 147
 Cyanide-resistant respiration, 185
 Dense granule, 249
 Developmental regulation, 337
 Diagnosis, 233
 Diagnostic probe, 281
 Difluoromethylornithine, 241
 Digestion, 131
 Dihydrofolate reductase-thymidylate synthetase, 317
 DNA polymerase, 223
 DNA probe, 49
 DNA sequence, 137
 DNA sequencing, 331
 Dinoflagellata, 147
 cDNA, 137, 215
 cDNA cloning, 331

- rDNA, 205
- Drug effects, 1
- Echinococcus granulosus*, 233
- Entamoeba histolytica*, 121
- Entry signal, 261
- Environmental pH, 175
- Escherichia coli*, 317
- Ethanol, 39
- Excretory-secretory, 101
- Filariasis, 49, 57, 297
- Fraction II, 137
- Gap sequence, 205
- Gene expression, 29, 331
- Gene, 233
- Genetic exchange, 77
- Giardia intestinalis*, 39
- Glucose metabolism, 39, 307
- Glycoconjugate, 91
- Glycoprotein, 265
- Glyosome, 261
- Helminth, 275
- Heterologous expression, 317
- Host protection, 101
- Hydatidosis, 233
- Hypobiosis, 275
- Immunodiagnosis, 65
- Immunoelectron microscopy, 65
- Integral membrane glycoprotein, 215
- Kinetoplast DNA, 77
- LSD binding, 289
- Leishmania*, 29, 91, 337
- Leishmania* ATPase locus, 29
- Leishmania* development, 175
- Leishmania donovani*, 171, 175
- Leishmania pifanoi*, 307
- Lipophosphoglycan, 91, 337
- Loa loa*, 297
- Macrogamete membrane protein, 193
- Malaria vaccine, 159
- Malaria vaccine candidate, 193
- Malaria, 179, 223
- Mitochondria, 185
- Molecular cloning, 9
- Monoclonal antibody, 249
- Muramyl peptide adjuvant, 159
- Nematode, 57, 275
- Neuroleptics, 289
- Neurotransmitting, 289
- Nuclear proteins, 121
- Onchocerca volvulus*, 65, 289
- Oncosphere antigen, 137
- Oxidative phosphorylation, 185
- P49 antigen, 331
- Phosphofructokinase, 131
- Plasmodium falciparum*, 109, 159, 179, 223, 317
- Plasmodium berghei*, 223
- Plasmodium malariae*, 281
- Polyadenylation, 137
- Polymerase chain reaction, 49, 331
- Procyclic tryomastigote, 171
- Promastigote, 171, 175, 307
- Protein tyrosine kinase, 241
- Protozoan virus, 155
- Pyruvate dehydrogenase complex, 9
- Receptor, 289
- Recombinant antigen, 65
- Reduction in RNA content, 1
- Repetitive DNA, 297
- Rhodamine 123, 185
- Rhoptry, 249
- Ribosomal RNA, 147
- Ribosomal DNA, 275
- RNA, 5.8S, 281
- Ro 15-5458, 1
- rRNA, 28S, 205
- SERA, 159
- SSUrRNA, 281
- Sarcocystis muris*, 147
- Schistosoma mansoni*, 1, 205, 215
- Sequence, 215
- Species specificity, 49
- Sporozoite surface protein, 193
- Stage regulation, 241
- Stage-specific expression, 193
- Subcellular organelle, 249
- Subcellular fractionation, 249
- Taenia taeniaeformis*, 137
- Tegumental antigen, 215
- Theileria annulata*, 147
- Toxoplasma gondii*, 249
- Transformation, 19
- Transient glucosylation, 265
- Tricarboxylic acid cycle, 19
- Trichinella spiralis*, 331
- Trichostrongylus colubriformis*, 101
- Trypanosoma brucei brucei*, 19
- Trypanosome, 29, 77, 185, 241
- Trypanosoma brucei*, 77, 171, 261
- Trypanosomatid, 265
- Trypsin, 131
- Tyrosine phosphatase, 241
- Virus-like particle, 155
- Wuchereria bancrofti*, 49

